

Appln. No.: 10/687,344
Response dated November 9, 2005
Reply to Office Action of August 9, 2005

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for performing trial screening with a medical device system, the medical device system providing treatment to a patient with a nervous system disorder, the method comprising the steps of:

(a) receiving a first input relating to a location of treatment therapy delivery;

(b) receiving a second input about a set of therapy parameters that is associated with a treatment therapy;

(c) administering the treatment therapy in accordance with the first and second inputs; and

(d) receiving a first indication whether the treatment therapy is acceptable to the patient and second indication whether to utilize the first and second inputs, wherein the second indication is determined by evaluating a criterion, wherein the criterion is selected from a group consisting of a detection frequency of the neurological event, a duration of the neurological event, an intensity of the neurological event, and an electrographic spread of the neurological event; and

~~(e) if the first indication indicates that the treatment therapy is acceptable, the second indication indicates that the first and second inputs are to be used, applying the treatment therapy, wherein the treatment therapy is applied in a closed-loop mode or an open-loop mode.~~

Appl. No.: 10/687,344
Response dated November 9, 2005
Reply to Office Action of August 9, 2005

2. **(Currently Amended)** The method of claim 1, further comprising the steps of:
~~(f) in response to step (e), determining if the treatment therapy is successful in accordance with a criterion; and~~
~~(g) in response to step (f), reporting results of the treatment therapy.~~
(e) if the first indication indicates that the treatment therapy is acceptable and if the second indication indicates that the first and second inputs are to be used, applying the treatment therapy at a future point in time, ~~wherein the treatment therapy is applied in a closed-loop mode or an open-loop mode.~~
3. **(Original)** The method of claim 1, wherein the nervous system disorder is selected from the group consisting of a disorder of a central nervous system, a disorder of a peripheral nervous system, a mental health disorder, and a psychiatric disorder.
4. **(Original)** The method of claim 3, wherein the nervous system disorder is selected from the group consisting of epilepsy, Parkinson's disease, essential tremor, dystonia, multiple sclerosis (MS), anxiety, a mood disorder, a sleep disorder, obesity, and anorexia.
5. **(Original)** The method of claim 1, wherein the treatment therapy is selected from the group consisting of electrical stimulation, magnetic stimulation, drug infusion, and brain temperature control.
6. **(Original)** The method of claim 1, wherein the treatment therapy is provided to a location of a body selected from the group consisting of a brain, a vagal nerve, a spinal cord, and a peripheral nerve.
7. **(Original)** The method of claim 1, wherein the medical device system is selected from the group consisting of an external system, a hybrid system, and an implanted system.
8. **(Currently Amended)** The method of claim 2, further comprising the steps of:
~~(f)(a)~~ in response to step ~~(e)(f)~~, if the treatment therapy is not successful, repeating steps (a)-~~(d)~~~~(g)~~.

Appl. No.: 10/687,344
Response dated November 9, 2005
Reply to Office Action of August 9, 2005

Claims 9-10 (Cancelled).

11. **(Currently Amended)** The method of claim 1-2, wherein the evaluating in-step ~~(d)(f)~~ comprises the steps of:

(i) obtaining treatment data during the trial screening session, wherein the treatment therapy is applied;

(ii) obtaining comparison data during a neurological even screening session, wherein the treatment therapy is not applied, and wherein the comparison data correspond to the treatment data;

(iii) deleting a portion of the comparison data corresponding to a blanking interval of the treatment therapy; and

(iv) calculating a difference between the treatment data and the comparison data in order to determine the efficacy of the treatment therapy.

12. **(Original)** A computer-readable medium having computer-executable instructions for performing the steps recited in claim 1.

13. **(Cancelled).**

14. **(Currently Amended)** A computer-readable medium having computer-executable instructions for performing the steps recited in claim 11-10.

Appln. No.: 10/687,344
 Response dated November 9, 2005
 Reply to Office Action of August 9, 2005

15. **(Currently Amended)** A method for performing neurological event screening with a medical device system, the medical device system providing treatment to a patient with a nervous system disorder, the method comprising the steps of:

- (a) detecting an occurrence of a neurological event;
- (b) identifying a neurological event focus location that is associated with the neurological event;
- (c) reporting information about the neurological event focus location to an output device;
- (d) identifying a neurological event spread that is associated with the neurological event;
- (e) reporting the neurological event spread to the output device.
- (f) receiving a first input about a configuration of a treatment delivery unit that is associated with the neurological event screening;
- (g) receiving a second input about a set of therapy parameters that is associated with a treatment therapy;
- (h) administering the treatment therapy in accordance with the first and second inputs;
- (i) receiving a first indication whether the treatment therapy is acceptable to the patient and second indication whether to utilize the first and second inputs, wherein the
- (j) if the first indication indicates that the treatment therapy is acceptable and the second indication indicates that the first and second inputs are to be used, applying the treatment therapy at a future point in time, wherein the treatment therapy is applied in closed-loop mode or an open-loop mode;
- ~~(k) in response to step (j), determining if the treatment therapy is successful in accordance with a criterion; and~~
- ~~(l) in response to step (k), reporting results of the treatment therapy.~~

Appl. No.: 10/687,344
Response dated November 9, 2005
Reply to Office Action of August 9, 2005

16. **(Currently Amended)** The method of claim 15, further comprising ~~the step of:~~
~~(k)(m)~~ providing a recommendation for the configuration of a treatment delivery unit and the set of therapy parameters to an output device.

17. **(Original)** A computer-readable medium having computer-executable instructions for performing the steps recited in claim 15.

18. **(Original)** A medical device system for performing neurological event screening, the medical device system providing treatment therapy to a patient with a nervous system disorder, the medical device system comprising:

a set of monitoring elements that obtains a set of neurological signals, wherein each monitoring element receives a neurological signal;

an output device; and

a processor that is coupled to the at least one monitoring element and to the output device, the processor configured to perform the steps of:

(a) detecting an occurrence of a neurological event with a detection algorithm;

(b) using an output from the detection algorithm to identify at least one neurological event focus location that is associated with the neurological event; and

(c) storing the neurological event focus location as stored information.

19. **(Original)** The medical device system of claim 18, wherein step (b) comprises:

(i) determining a first channel that is associated with an earliest onset of the neurological event, the first channel corresponding to a first neurological signal.

Response dated November 9, 2005
Reply to Office Action of August 9, 2005

20. **(Original)** The medical device system of claim 18, wherein the processor is configured to perform the further steps of:

- (d) determining whether to perform algorithm adaptation; and
- (e) computing threshold and time duration constraint settings that are associated with the detection algorithm, in response to step (d).

Appl. No.: 10/687,344
Response dated November 9, 2005
Reply to Office Action of August 9, 2005

21. (Currently Amended) A medical device system for performing trial screening, the medical device system providing treatment to a patient with a nervous system disorder, the medical device system comprising:

- a treatment therapy unit that delivers treatment therapy to the patient;
- a set of monitoring elements that obtains a set of neurological signals, wherein each monitoring element receives a neurological signal;
- an input device that obtains input information from a user;
- an output device that presents output information to the user; and
- a processor that is coupled to the treatment therapy unit, the set of monitoring elements, the input device, and the output device, the processor configured to perform the steps of:

- (a) receiving a first input relating to a location of treatment therapy delivery;
- (b) receiving a second input about a set of therapy parameters that is associated with a treatment therapy;
- (c) administering the treatment therapy in accordance with the first and second inputs;
- (d) receiving a first indication whether the treatment therapy is acceptable to the patient and second indication whether to utilize the first and second inputs, wherein the second indication is determined in accordance with a criterion, wherein the criterion is selected from a group consisting of a detection frequency of the neurological event, a duration of the neurological event, an intensity of the neurological event, and an electrographic spread of the neurological event; and
- (e) if the first indication indicates that the treatment therapy is acceptable and if the second indication indicates that the first and second inputs are to be used, applying the treatment therapy at a future point in time, wherein the treatment therapy is applied in a closed loop mode or an open loop mode.

Appl. No.: 10/687,344
Response dated November 9, 2005
Reply to Office Action of August 9, 2005

22. (New) A method for performing trial screening with a medical device system, the medical device system providing treatment to a patient with a nervous system disorder, the method comprising the steps of:

- (a) receiving a first input relating to a location of treatment therapy delivery;
- (b) receiving a second input about a set of therapy parameters that is associated with a treatment therapy;
- (c) administering the treatment therapy in accordance with the first and second inputs, wherein the administering of the treatment comprises:
 - (i) applying the treatment therapy every n^{th} detection cluster;
- (d) receiving a first indication whether the treatment therapy is acceptable to the patient and second indication whether to utilize the first and second inputs, wherein the second indication is in accordance with an evaluation of a criterion, the evaluation comprising:
 - (i) obtaining treatment data for a first detection cluster, wherein the treatment therapy is applied;
 - (ii) obtaining comparison data for a second detection cluster, wherein the treatment therapy is not applied, and wherein the comparison data correspond to the treatment data;
 - (iii) deleting a portion of the comparison data corresponding to a blanking interval of the treatment therapy; and
 - (iv) calculating a difference between the treatment data and the comparison data in order to determine the efficacy of the treatment therapy and
- (e) if the first indication indicates that the treatment therapy is acceptable and if the second indication indicates that the first and second inputs are to be used, applying the treatment therapy at a future point in time.

23. (New) The method of claim 22, wherein the n^{th} cluster is at least a kind clusters, whereby the treatment therapy is not applied to at least every other cluster.